ELSEVIER

Carbohydrate Research 268 (1995) C17–C19

CARBOHYDRATE RESEARCH

CONTENTS

Complexes of cobalt(III) with D-fructose and phenanthroline
E. Moraga, S. Bunel, C. Ibarra (Santiago, Chile), A. Blaskó and C.A. Bunton (Santa Barbara, CA, USA) 1

Synthesis of the glycosyl amino acids N^{α}-Fmoc-Ser[Ac_4-β-D-Gal*p*-(1 → 3)-Ac_2-α-D-$GalN_3$*p*]-OPfp and N^{α}-Fmoc-Thr[Ac_4-β-D-Gal*p*-(1 → 3)-Ac_2-α-D-$GalN_3$*p*]-OPfp and the application in the solid-phase peptide synthesis of multiply glycosylated mucin peptides with T^n and T antigenic structures
H. Paulsen, S. Peters, T. Bielfeldt (Hamburg, Germany), M. Meldal and K. Bock (Copenhagen, Denmark) 17

Synthesis of methyl glycosides of some α-isomalto oligosaccharides specifically deoxygenated at position C-2
E. Petráková and C.P.J. Glaudemans (Bethesda, MD, USA). 35

The reaction between epichlorohydrin and polysaccharides: Part 2, synthesis of some model substances, with cyclic substituents
L. Holmberg (Uppsala, Sweden), B. Lindberg (Stockholm, Sweden) and B. Lindqvist (Uppsala, Sweden). 47

Isothiocyanates and cyclic thiocarbamates of α,α′-trehalose, sucrose, and cyclomaltooligosaccharides
J.M. García Fernández, C. Ortiz Mellet, J.L. Jiménez Blanco, J. Fuentes Mota (Sevilla, Spain), A. Gadelle, A. Coste-Sarguet and J. Defaye (Grenoble, France) 57

Synthesis of specifically deoxygenated analogues of the methyl α-glycoside of the intracatenary monosaccharide repeating unit of the O-polysaccharide of *Vibrio cholerae* O:1
M. Gotoh and P. Kováč (Bethesda, MD, USA) 73

Synthesis of methyl (D-glycopyranosyl azide)uronates
Z. Györgydeák and J. Thiem (Hamburg, Germany) 85

Syntheses of 4′-deoxy-α-maltosyl fluoride and 4″-deoxy-α-maltotriosyl fluoride as probes of α-glucanotransferase mechanisms
T.K. Lindhorst, C. Braun and S.G. Withers (Vancouver, Canada). 93

Preparation of a methyl 3,4-dideoxy-3-*C*-nitro-α-D-*threo*-hex-3-enopyranoside bearing a peroxy function at C-2 and its reactions with some nucleophiles
A. Seta, K. Tokuda and T. Sakakibara (Yokohama, Japan) 107

The specificity of the binding site of Achatinin$_H$, a sialic acid-binding lectin from *Achatina fulica*
G. Sen and C. Mandal (Calcutta, India) 115

Notes
The crystal and molecular structure of 4-cyanophenyl 5-thio-β-D-xylopyranoside
J.Y. Le Questel, N. Mouhous-Riou and S. Pérez (Nantes, France) 127

Anomalous Zemplén deacylation of protected methyl 2-deoxy-α-D-*arabino*-hexopyranosides and related methyl α-isomaltosides and α-isomaltotriosides
E. Petráková and C.P.J. Glaudemans (Bethesda, MD, USA). 135

The effect of *N*-substitution on the hydrolysis of chitosan by an endo-chitosanase
N. Hutadilok, T. Mochimasu, H. Hisamori, K.-i. Hayashi, H. Tachibana, T. Ishii and S. Hirano (Tottori, Japan). 143

Analysis of *endo*-(1 → 5)-α-L-arabinanase degradation patterns of linear (1 → 5)-α-L-arabino-oligosaccharides by high-performance anion-exchange chromatography with pulsed amperometric detection
M.P.H. Dunkel and R. Amadò (Zurich, Switzerland). 151

Preliminary communication
Cyclo-glycosylation of a (1 → 4)-linked glycooctaose and glycodecaose: Synthesis of cyclo-*lacto*octaose and cyclo-*lacto*decaose
H. Kuyama, T. Nukada, Y. Ito, Y. Nakahara and T. Ogawa (Saitama, Japan) C1

Announcement C7

Dynamics in aqueous solutions of the pentasaccharide corresponding to the binding site of heparin for antithrombin III studied by NMR relaxation measurements
M. Hricovíni and G. Torri (Milano, Italy) 159

Synthesis and reactions of an (α-D-glucopyranosyl)phenylacetylene
J. Désiré and A. Veyrières (Orléans, France) 177

Synthesis of a mixture of (2*S*,5*R*)- and (2*S*,5*S*)-2-methyl-1,6-dioxaspiro[4.5]decane, the odor bouquet minor components of *Paravespula vulgaris* (L.), from L-sorbose
I.I. Cubero, M.T. Plaza Lopez-Espinosa and N. Kari (Granada, Spain). 187

Fructose-grafted amylose and amylopectin
G.N. Richards and J.Y. VanDenburg (Missoula, MT, USA) 201

Stereoselective thermal transfer of fructose from sucrose to cyclodextrins
M. Manley-Harris and G.N. Richards (Missoula, MT, USA). 209

Structural analysis of the polysaccharide from *Pachymenia lusoria* (Cryptonemiaceae, Rhodophyta)
I.J. Miller, R. Falshaw and R.H. Furneaux (Lower Hutt, New Zealand) 219

Some factors determining the thermal properties of amylose inclusion complexes with fatty acids
J. Karkalas, S. Ma, W.R. Morrison and R.A. Pethrick (Glasgow, United Kingdom). 233

Structural studies of O-specific polysaccharide chains of the lipopolysaccharide from *Yersinia enterocolitica* serovar O:10
R.P. Gorshkova, V.V. Isakov, E.N. Kalmykova and Y.S. Ovodov (Vladivostok, Russia) 249

Thermoinactivation of cellobiohydrolase I from *Trichoderma reesei* QM 9414
J. Jiménez, J.M. Domínguez, M.P. Castillón and C. Acebal (Madrid, Spain) 257

Subsite mapping of porcine pancreatic alpha-amylase I and II using 4-nitrophenyl-α-maltooligosaccharides
E. Hassan Ajandouz and G.J. Marchis-Mouren (Marseille, France) 267

Notes

Synthesis of isomeric sulfated disaccharides. Methyl *O*-(2-acetamido-2-deoxy-3-*O*-, 4-*O*-, and 6-*O*-sulfo-β-D-glucopyranosyl sodium salt)-(1 → 3)-β-D-galactopyranoside
R.K. Jain, X.-G. Liu and K.L. Matta (Buffalo, NY, USA) 279

Radical reactions on carbohydrate acetals: use of a furanoid glycal for the synthesis of *cis*-fused bicyclic acetals
G.V.M. Sharma and K. Krishnudu (Hyderabad, India) 287

Synthesis of some *N*-hexopyranosyl-2-pyridones and -2-pyridinethiones
A.M.E. Attia (Tanta, Egypt) and G.E.H. Elgemeie (Bani Suef, Egyp) 295

Synthesis of sugar pyrrolidine derivatives from methyl 4,6-*O*-benzylidene-2-deoxy-2-dimethylamino-α-D-altropyranoside *N*-oxide
J. Chastanet, G. Roussi (Gif-sur-Yvette, France) and G. Negrón (México D.F., Méxioco) . . . 301

The core trisaccharide of α-L-arabinofuranan: synthesis of methyl 3,5-di-*O*-α-L-arabinofuranosyl-α-L-arabinofuranoside
S. Kaneko, Y. Kawabata, T. Ishii, Y. Gama and I. Kusakabe (Ibaraki, Japan) 307

Disialyl lactose from buffalo colostrum: isolation and characterization
H.S. Aparna and P.V. Salimath (Mysore, India) 313

Homogeneous alkylation of cellulose in lithium chloride/dimethyl sulfoxide solvent with dimsyl sodium activation. A proposal for the mechanism of cellulose dissolution in $LiCl/Me_2SO$
L. Petruš (Bratislava, Slovak Republic), D.G. Gray (Montreal, Canada) and J.N. BeMiller (West Lafayette, IN, USA) 319

Announcement C9

Author index C11

Subject index C13

Contents C17